Neuroscience Letters, 123 (1991) 277–280
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abe, K., Kawagoe, J., Sato, S., Sahara, M. and Kogure, K., Induction of the 'zinc finger' gene after transient focal ischemia in rat cerebral cortex, 248
Agid, Y., see Lehéricy, S., 152
Akaoka, H., Roussel, B., Lin, J.-S., Chouvet, G. and Jouvet, M., Effect of modafinil and amphetamine on the rat catecholaminergic neuron activity, 20
Anton, F., Peppel, P., Euchner, I. and Handwerker, H.O., Controlled noxious chemical stimulation: responses of rat trigeminal brainstem neurones to CO^2 pulses applied to the nasal mucosa, 210
Armstrong, R.A., Myers, D., Smith, C.U.M., Cairns, N. and Luthert, P.J., Alzheimer's disease: the relationship between the density of senile plaques, neurofibrillary tangles and A4 protein in human patients, 141
Arndt, J.O., see Klement, W., 119

Bagetta, G., Nisticó, G. and Bowery, N.G., Hippocampal damage produced by tetanus toxin in rats can be prevented by lesioning CA1 pyramidal cell excitatory afferents, 32
Bartlett, P.F., see Turnley, A.M., 45
Batten, T.F.C., see Moons, L., 49
Bengoechea, O. and Gonzalo, L.M., Effects of alcoholization on the rat hippocampus, 112
Bennett, M.V.L., see Lerma, J., 187
Benoliel, J.J., see Mauborgne, A., 221
Beracochea, D., see Tako, A., 37
Bernardi, G., see Mione, M.C., 167
Berry, J.-P., see Chafi, A.H., 61
Bicknell, R.J., see Luckman, S.M., 156
Bieger, D., see Wang, Yu.T., 236
Blankenship, J.E., see McPherson, D.R., 148
Bobillier, P., see Sarda, N., 57
Booth, P.L., see Glenn, J.A., 27
Bourgoin, S., see Mauborgne, A., 221
Bowery, N.G., see Bagetta, G., 32
Bregestovski, P., see Lambolez, B., 69
Burt, David R., see Moss, S.J., 265

Cairns, N., see Armstrong, R.A., 141
Caravaglios, G., see Ferraro, G., 41
Carbone, E., see Pollo, A., 203
Cash, S.A., see Gadbut, A.P., 91
Cesselin, F., see Mauborgne, A., 221
Chafi, A.H., Hauw, J.-J., Rancurel, G., Berry, J.-P. and Galle, C., Absence of aluminium in Alzheimer's disease brain tissue:electron microprobe and ion microprobe studies, 61
Chan, K.-H., Mui, W.-C., Yang, M.-W. and Lee, T.-Yu., Influence of controlled hypotension by adenosine triphosphate or nitroglycerin on the neuromuscular blocking effect of atracurium in dogs, 226
Chiu, A.T., see Leung, K.H., 95
Chiu, T.H., see Tietz, E.I., 269
Chouvet, G., see Akaoka, H., 20
Church, J. and Zeman, S., Ketamine promotes hippocampal CA1 pyramidal neuron loss after a short-duration ischemic insult in rats, 65
Coffey, A.R., see Kevetter, G.A., 273
Coleman, B.D., see Schmidt, R.E., 102
Curutchet, P., see Lambolez, B., 69

D'Angelo, V., see Mione, M.C., 167
De Carvalho, J.R.L.P., see Lambolez, B., 69
Doi, N., Miyahara, S. and Hori, N., Glucocorticoids promote localized activity of rat hippocampal CA1 pyramidal neurons in brain slices, 99

East, S.J. and Garthwaite, J., NMDA receptor activation in rat hippocampus induces cyclic GMP formation through the L-arginine–nitric oxide pathway, 17
Essig, E.C. and Kilpatrick, I.C., Haloperidol-induced increases in rat amygdaloid dopamine metabolism: evidence for independence from postsynaptic feedback mechanisms, 261
Euchner, I., see Anton, F., 210

Fan, J.-H., see Terakawa, S., 82
Ferraro, G., Vella, N., Sardo, P., Caravaglios, G., Sabatino, M. and Grutta, V.L., Dopaminergic control of feline hippocampal epilepsy: a nigrohippocampal pathway, 41
Finkbeiner, S.M., see Goldman, R.S., 4
Fu, T., see Zhang, W., 164
Fukami, Ya., see Onozuka, M., 257
Furuichi, H., see Onozuka, M., 257
Fuxe, K., Tinner, B., Staines, W., Hemsén, A., Hersh, L. and Lundberg, J.M., Demonstration and nature of endothelin-3-like immunoreactivity in somatostatin and choline acetyltransferase-immunoreactive nerve cells of the neostriatum of the rat, 107

Gadbut, A.P., Cash, S.A., Noble, J.A., Radice, T.R. and Weyhenmeyer, J.A., The effect of Ca^{2+} channel antagonists (cadmium, ω-conotoxin GIVA, and nitrendipine) on the release of angiotensin II from fetal rat brain in vitro, 91
Galle, C., see Chafi, A.H., 61
Garrosa, M., see Gonzalez-Lima, F., 251
Garthwaite, J., see East, S.J., 17
Gerlach, M., see Russ, H., 115
Gharib, A., see Sarda, N., 57
Glenn, J.A., Booth, P.L. and Thomas, W.E., Pinocytotic activity in ramified microglia, 27
Goldman, R.S., Finkbeiner, S.M. and Smith, S.J., Endothelin induces a sustained rise in intracellular calcium in hippocampal astrocytes, 4
Gonzalez-Lima, F. and Garrosa, M., Quantitative histochemistry of cytochrome oxidase in rat brain, 251
Gonzalo, L.M., see Bengoechea, O., 112
Gonzalo, L.M., see Herrero, M.T., 144
Grange, E., see Sarda, N., 57
Grutta, V.L., see Ferraro, G., 41

Halleux, P., see Schiffmann, S.N., 123
Hamanoue, M., see Shimojo, M., 229
Hamon, M., see Mauborgne, A., 221
Handwerker, H.O., see Anton, F., 210
Hasegawa, N., Takeo, T. and Sakuma, Ya., Differential regulation of estrogen-dependent sexual development of rat brain by growth factors, 183
Hauw, J.-J., see Chafi, A.H., 61
Hemsén, A., see Fuxe, K., 107
Herrero, M.T., Insausti, R. and Gonzalo, L.M., Cortical projections from the laterodorsal and dorsal tegmental nuclei. A fluorescent retrograde tracing study in the rat, 144

Hersh, L., see Fuxe, K., 107
Hersh, L.B., see Lehéricy, S., 152
Hirai, T.K. andS., see Yamaguchi, H., 217
Hirai, Y., see Minami, M., 254
Hirata, K., Sawada, S. and Yamamoto, C., Enhancement of transmitter release accompanying with long-term potentiation in synapses between mossy fibers and CA3 neurons in hippocampus, 73
Hirayama, H., see Zhang, W., 164
Hirsch, E.C., see Lehéricy, S., 152
Hori, N., see Doi, N., 99
Hosomi, H., see Morita, H., 1
Huganir, R.L., see Moss, S.J., 265

Insausti, R., see Herrero, M.T., 144
Irie, T., see Xu, M., 179
Ishiki, K., see Morita, H., 1
Itoh, K., see Shinonaga, Ya., 135
Itoh, T., Sobue, G., Yasuda, T., Mitsuma, T., Takahashi, A. and Kimata, K., Geometry of adult rat sensory neurons in culture; its modulation by laminin, 212
Itowi, N., Yamatodani, A., Mochizuki, T. and Wada, H., Effects of intracerebroventricular histamine injection on circadian activity phase entrainment during rapid illumination changes, 53

Jaffard, R., see Tako, A., 37
Jeffrey, P.L., see Sheppard, A.M., 87
Jouvet, M., see Akaoka, H., 20

Kato, T., see Xu, M., 179
Kawagoe, J., see Abe, K., 248
Kawamura, H., see Saitoh, Y., 77
Kawasaki, H., Nakamura, S. and Takasaki, K., Somatostatin inhibits the centrally mediated hypertensive response to clonidine in freely moving rats, 232
Kevetter, G.A., and Coffey, A.R., Aspartate-like immunoreactivity in vestibulospinal neurons in gerbils, 273
Kilpatrick, I.C., see Essig, E.C., 261
Kimata, K., see Itoh, T., 212
Klement, W. and Arndt, J.O., Pain but no temperature sensations are evoked by thermal stimulation of cutaneous veins in man, 119
Kofuji, P., see Moss, S.J., 265
Kogure, K., see Abe, K., 248
Kohsaka, S., see Shimojo, M., 229
Kondo, T., see Nishi, K., 244
Konopka, M., see Sheppard, A.M., 87
Kumakura, K., see Terakawa, S., 82
Kuraishi, Ya., see Minami, M., 254

Lagarde, M., see Sarda, N., 57
Lambolez, B., Curutchet, P., Stinnakre, J., Bregestovski, P. and De Carvalho, J.R.L.P., Electrophysiological and pharmacological properties of GluR1, a subunit of a glutamate receptor-channel expressed in *Xenopus* oocytes, 69
Leanza, G., Pellitteri, R., Russo, A. and Stanzani, S., Neurons in raphe nuclei pontis and magnus have branching axons that project to medial preoptic area and cervical spinal cord. A fluorescent retrograde double labeling study in the rat, 195
Lee, T.-Yu., see Chan, K.-H., 226
Lehéricy, S., Hirsch, E.C., Hersh, L.B. and Agid, Y., Cholinergic neuronal loss in the globus pallidus of Alzheimer disease patients, 152
Lerma, J., Zukin, R.S. and Bennett, M.V.L., Interaction of Mg^2 and phencyclidine in use-dependent block of NMDA channels, 187
Lescaudron, L., see Tako, A., 37
Leung, K.H., Smith, R.D., Pieter, , Timmermans, B.M.W.M. and Chiu, A.T., Regional distribution of the two subtypes of angiotensin II receptor in rat brain using selective nonpeptide antagonists, 95
Lin, J.-S., see Akaoka, H., 20
Luckman, S.M. and Bicknell, R.J., Binding sites for atrial natriuretic peptide (ANP) on cultured pituicytes: lack of effect of ANP on release of neurohypophysial hormones in vitro, 156
Lundberg, J.M., see Fuxe, K., 107
Luthert, P.J., see Armstrong, R.A., 141

Mason, R., The effects of continuous light exposure on Syrian hamster suprachiasmatic (SCN) neuronal discharge activity in vitro, 160
Matsui, Y., see Saitoh, Y., 77
Matsuzaki, S., see Shinonaga, Ya., 135
Mauborgne, A., Bourgoin, S., Benoliel, J.J., Hamon, M. and Cesselin, F., Is substance P released from slices of the rat spinal cord inactivated by peptidase(s) distinct from both 'enkephalinase' and 'angiotensin-converting enzyme'?, 221
McPherson, D.R. and Blankenship, J.E., Retrograde labelling of serotonergic projections onto the neuroendocrine bag cells of *Aplysia*, 148
Mei, L., see Moss, S.J., 265
Menu, R., see Schiffmann, S.N., 123
Mihatsch, W., see Russ, H., 115
Miller, J.F.A.P., see Turnley, A.M., 45
Minami, M., Kuraishi, Ya., Yamaguchi, T., Nakai, S., Hirai, Y. and Satoh, Masamichi, Immobilization stress induces interleukin-1β mRNA in the rat hypothalamus, 254
Mione, M.C., Sancesario, G., D'Angelo, V. and Bernardi, G., Increase of dopamine β-hydroxylase immunoreactivity in non-noradrenergic nerves of rat cerebral arteries following long-term sympathectomy, 167
Mironov, S.L. and Usachev, J.M., Caffeine affects Ca uptake and Ca release from intracellular stores: fura-2 measurements in isolated snail neurones, 200
Mitsuma, T., see Itoh, T., 212
Miura, M., see Saji, M., 175
Miyahara, S., see Doi, N., 99
Miyamoto, M.D., see Provan, S.D., 127
Mizuno, N., see Shinonaga, Ya., 135
Mochizuki, T., see Itowi, N., 53
Moerlein, Stephen M. and Perlmutter, J.S., Central serotonergic S_2 binding in *Papio anubis* measured in vivo with *N*-ω-[^{18}F]fluoroethylketanserin and PET, 23
Moliere, P., see Sarda, N., 57
Moons, L., Batten, T.F.C. and Vandesande, F., Autoradiographic distribution of galanin binding sites in the brain and pituitary of the sea bass (*Dicentrarchus labrax*), 49
Morgan, I.G., see Sheppard, A.M., 87
Morita, H., Ishiki, K. and Hosomi, H., Effects of hepatic NaCl receptor stimulation on renal nerve activity in conscious rabbits, 1
Moss, S.J., Ravindran, A., Mei, L., Wang, J.B., Kofuji, P., Huganir, R.L. and Burt, DavidR., Characterization of recombinant $GABA_A$ receptors produced in transfected cells from murine α_1, β_1, and γ_2 subunit cDNAs, 265
Mui, W.-C., see Chan, K.-H., 226
Myers, D., see Armstrong, R.A., 141

Nakai, S., see Minami, M., 254
Nakajima, K., see Shimojo, M., 229
Nakamura, S., see Kawasaki, H., 232

Nakamura, Ya., see Xu, M., 179
Nakayama, Ya., see Tsuchiya, T., 240
Nakazato, Y., see Yamaguchi, H., 217
Narabayashi, H., see Nishi, K., 244
Natori, K., see Xu, M., 179
Nelson, J.S., see Schmidt, R.E., 102
Neuman, R.S., see Wang, Yu.T., 236
Nihonmatsu, I., see Saitoh, Y., 77
Nikolsky, E.E., Voronin, V.A. and Vyskočil, F., Kinetic differences in the effect of calcium on quantal and non-quantal acetylcholine release at the murine diaphragm, 192
Nishi, K., Kondo, T. and Narabayashi, H., Destruction of norepinephrine terminals in 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP)-treated mice reduces locomotor activity induced by L-DOPA, 244
Nisticó, G., see Bagetta, G., 32
Noble, J.A., see Gadbut, A.P., 91
Noumura, T., see Shinkai, T., 13
Nozawa, Y., see Zhang, W., 164

Ogawa-Meguro, R., see Shinonaga, Ya., 135
Ohara-Imaizumi, M., see Terakawa, S., 82
Ohishi, H., see Shinonaga, Ya., 135
Okano, Yu., see Zhang, W., 164
Onozuka, M., Furuichi, H. and Fukami, Ya., Cyclic AMP-dependent protein phosphorylation is involved in the development of negative slope resistance and a reduction of the potassium current induced by pentylenetetrazole in identified snail neurons, 257
Ooka, H., see Shinkai, T., 13
Ozawa, T., see Tsuchiya, T., 240

Pellitteri, R., see Leanza, G., 195
Peppel, P., see Anton, F., 210
Perlmutter, J.S., see Moerlein, StephenM., 23
Pévet, P., see Raynaud, F., 172
Pieter, , see Leung, K.H., 95
Pollo, A., Taglialatela, M. and Carbone, E., Voltage-dependent inhibition and facilitation of Ca channel activation by GTP-γ-S and Ca-agonists in adult rat sensory neurons, 203
Provan, S.D. and Miyamoto, M.D., Tetrahydroaminoacridine and physostigmine have opposing effects on probability of transmitter release at the frog neuromuscular junction, 127
Przuntek, H., see Russ, H., 115

Radice, T.R., see Gadbut, A.P., 91
Rancurel, G., see Chafi, A.H., 61
Ravindran, A., see Moss, S.J., 265
Raynaud, F. and Pévet, P., 5-Methoxytryptamine is metabolized by monoamine oxidase A in the pineal gland and plasma of golden hamsters, 172
Reuss, S., see Stehle, J., 131
Riederer, P., see Russ, H., 115
Riemann, R., see Stehle, J., 131
Robinson, S.R., see Sheppard, A.M., 87
Roussel, B., see Akaoka, H., 20
Russ, H., Mihatsch, W., Gerlach, M., Riederer, P. and Przuntek, H., Neurochemical and behavioural features induced by chronic low dose treatment with 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) in the common marmoset: implications for Parkinson's disease?, 115
Russo, A., see Leanza, G., 195

Sabatino, M., see Ferraro, G., 41
Sahara, M., see Abe, K., 248
Saitoh, Y., Matsui, Y., Nihonmatsu, I. and Kawamura, H., Cross-species transplantation of the suprachiasmatic nuclei from rats to siberian chipmunks (*Eutamias sibiricus*) with suprachiasmatic lesions, 77
Saji, M. and Miura, M., Coexistence of glutamate and choline acetyltransferase in a major subpopulation of laryngeal motoneurons of the rat, 175
Sakai, N., see Zhang, W., 164
Sakuma, Ya., see Hasegawa, N., 183
Sancesario, G., see Mione, M.C., 167
Sarda, N., Gharib, A., Moliere, P., Grange, E., Bobillier, P. and Lagarde, M., Docosahexaenoic acid (cervonic acid) incorporation into different brain regions in the awake rat, 57
Sardo, P., see Ferraro, G., 41
Sato, S., see Abe, K., 248
Satoh, Masamichi, see Minami, M., 254
Sawada, S., see Hirata, K., 73
Schiffmann, S.N., Teugels, E., Halleux, P., Menu, R. and Vanderhaeghen, J. -J., Cholecystokinin mRNA detection in rat spinal cord motoneurons but not in dorsal root ganglia neurons, 123
Schmidt, R.E., Coleman, B.D. and Nelson, J.S., Differential effect of chronic vitamin E deficiency on the development of neuroaxonal dystrophy in rat gracile/cuneate nuclei and prevertebral sympathetic ganglia, 102
see Goldman, R.S., 4
Seidel, A., see Stehle, J., 131
Sheppard, A.M., Konopka, M., Robinson, S.R., Morgan, I.G. and Jeffrey, P.L., Thy-1 antigen is specific to ganglion cells in chicks, 87
Shimojo, M., Nakajima, K., Takei, N., Hamanoue, M. and Kohsaka, S., Production of basic fibroblast growth factor in cultured rat brain microglia, 229
Shinkai, T., 2, Ooka, H. and Noumura, T., Growth hormone-releasing factor (GRF) suppresses the in vitro proliferation of mammotrophs from the adult rat, 13
Shinonaga, Ya., Itoh, K., Matsuzaki, S., Ogawa-Meguro, R., Ohishi, H. and Mizuno, N., Pallidocortical projections to the tempolar polar gyrus in the cat, 135
Shoji, M., see Yamaguchi, H., 217
Smith, C.U.M., see Armstrong, R.A., 141
Smith, R.D., see Leung, K.H., 95
Smith, S.J., see Goldman, R.S., 4
Sobue, G., see Itoh, T., 212
Staines, W., see Fuxe, K., 107
Stanzani, S., see Leanza, G., 195
Stehle, J., Reuss, S., Riemann, R., Seidel, A. and Vollrath, L., The role of arginine-vasopressin for pineal melatonin synthesis in the rat: involvement of vasopressinergic receptors, 131
Stinnakre, J., see Lambolez, B., 69
Sumi, T., see Umeda, Yu., 9

Taglialatela, M., see Pollo, A., 203
Takahashi, A., see Itoh, T., 212
Takasaki, K., see Kawasaki, H., 232
Takei, N., see Shimojo, M., 229
Takenaka, K., see Zhang, W., 164
Takeo, T., see Hasegawa, N., 183
Tako, A., Beracochea, D., Lescaudron, L. and Jaffard, R., Differential effects of chronic ethanol consumptions or thiamine deficiency on spatial working memory in Balb/c mice: a behavioral and neuroanatomical study, 37
Terakawa, S., Fan, J.-H., Kumakura, K. and Ohara-Imaizumi, M., Quantitative analysis of exocytosis directly visualized in living chro-

maffin cells, 82
Teugels, E., see Schiffmann, S.N., 123
Thomas, W.E., see Glenn, J.A., 27
Tietz, E.I. and Chiu, T.H., Regional GABA-stimulated chloride uptake in amygdala kindled rats, 269
Timmermans, B.M.W.M., see Leung, K.H., 95
Tinner, B., see Fuxe, K., 107
Tsuchiya, T., Nakayama, Ya. and Ozawa, T., Response of adrenal sympathetic efferent nerve activity to mechanical and thermal stimulations of the facial skin area in anesthetized rats, 240
Turnley, A.M., Miller, J.F.A.P. and Bartlett, P.F., Regulation of MHC molecules on MBP positive oligodendrocytes in mice by IFN-γ and TNF-α, 45

Umeda, Yu., Watanabe, C. and Sumi, T., A change in the spontaneous release of endogenous acetylcholine from rat striatal slices after repeated injection of haloperidol, 9
Usachev, J.M., see Mironov, S.L., 200
Utsumi, H., see Xu, M., 179

Vanderhaeghen, J. -J., see Schiffmann, S.N., 123
Vandesande, F., see Moons, L., 49
Vella, N., see Ferraro, G., 41
Vollrath, L., see Stehle, J., 131
Voronin, V.A., see Nikolsky, E.E., 192
Vyskočil, F., see Nikolsky, E.E., 192

Wada, H., see Itowi, N., 53
Wang, J.B., see Moss, S.J., 265
Wang, Yu.T., Neuman, R.S. and Bieger, D., Somatostatin inhibits nicotinic cholinoceptorMediated-excitation in rat ambigual motoneurons in vitro, 236
Watanabe, C., see Umeda, Yu., 9
Weyhenmeyer, J.A., see Gadbut, A.P., 91

Xu, M., Nakamura, Ya., Yamamoto, T., Natori, K., Irie, T., Utsumi, H. and Kato, T., Determination of basal acetylcholine release in vivo by rat brain dialysis with a U-shaped cannula: effect of SM-10888, a putative therapeutic drug for Alzheimer's disease, 179

Yamada, H., see Zhang, W., 164
Yamaguchi, H., Nakazato, Y., Yamazaki, T., Shoji, M. and Hirai, T.K. andS., Subpial β/A4 amyloid deposition occurs between astroglial processes in Alzheimer-type dementia, 217
Yamaguchi, T., see Minami, M., 254
Yamamoto, C., see Hirata, K., 73
Yamamoto, T., see Xu, M., 179
Yamatodani, A., see Itowi, N., 53
Yamazaki, T., see Yamaguchi, H., 217
Yang, M.-W., see Chan, K.-H., 226
Yasuda, T., see Itoh, T., 212

Zeman, S., see Church, J., 65
Zhang, W., Sakai, N., Fu, T., Okano, Yu., Hirayama, H., Takenaka, K., Yamada, H. and Nozawa, Y., Diacylglycerol formation and DNA synthesis in endothelin-stimulated rat C6 glioma cells: the possible role of phosphatidylcholine breakdown, 164
Zukin, R.S., see Lerma, J., 187

CONTENTS *(continued from back cover)*

Production of basic fibroblast growth factor in cultured rat brain microglia
M. Shimojo, K. Nakajima, N. Takei, M. Hamanoue and S. Kohsaka (Japan) 229
Somatostatin inhibits the centrally mediated hypertensive response to clonidine in freely moving rats
H. Kawasaki, S. Nakamura and K. Takasaki (Japan) 232
Somatostatin inhibits nicotinic cholinoceptorMediated-excitation in rat ambigual motoneurons in vitro
Yu.T. Wang, R.S. Neuman and D. Bieger (Canada) 236
Response of adrenal sympathetic efferent nerve activity to mechanical and thermal stimulations of the facial skin area in anesthetized rats
T. Tsuchiya, Ya. Nakayama and T. Ozawa (Japan, U.S.A.) 240
Destruction of norepinephrine terminals in 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP)-treated mice reduces locomotor activity induced by L-DOPA
K. Nishi, T. Kondo and H. Narabayashi (Japan) 244
Induction of the 'zinc finger' gene after transient focal ischemia in rat cerebral cortex
K. Abe, J. Kawagoe, S. Sato, M. Sahara and K. Kogure (Japan) 248
Quantitative histochemistry of cytochrome oxidase in rat brain
F. Gonzalez-Lima and M. Garrosa (U.S.A.) 251
Immobilization stress induces interleukin-1β mRNA in the rat hypothalamus
M. Minami, Ya. Kuraishi, T. Yamaguchi, S. Nakai, Y. Hirai and Masamichi Satoh (Japan) 254
Cyclic AMP-dependent protein phosphorylation is involved in the development of negative slope resistance and a reduction of the potassium current induced by pentylenetetrazole in identified snail neurons
M. Onozuka, H. Furuichi and Ya. Fukami (Japan) 257
Haloperidol-induced increases in rat amygdaloid dopamine metabolism: evidence for independence from postsynaptic feedback mechanisms
E.C. Essig and I.C. Kilpatrick (U.K.) 261
Characterization of recombinant $GABA_A$ receptors produced in transfected cells from murine α^1, β^1, and γ^2 subunit cDNAs
S.J. Moss, A. Ravindran, L. Mei, J.B. Wang, P. Kofuji, R.L. Huganir and DavidR. Burt (U.S.A.) 265
Regional GABA-stimulated chloride uptake in amygdala kindled rats
E.I. Tietz and T.H. Chiu (U.S.A.) 269
Aspartate-like immunoreactivity in vestibulospinal neurons in gerbils
G.A. Kevetter, and A.R. Coffey (U.S.A.) 273

Author index 277